



Pulegge dentate passo pollici per bussola conica POGGILOCK®

Timing pulleys inch pitch for taperbush **POGGILOCK®**

Zoll-Zahnscheiben für Spannbuchse **POGGILOCK®**

Poulies dentées pas en pouces, pour moyeu amovible **POGGILOCK®**

Poleas dentadas paso en pulgadas, para casquillo cónico **POGGILOCK®**





Pulegge dentate passo pollici per bussola conica **POGGILOCK®**

Timing pulleys inch pitch for taperbush **POGGILOCK®**


Zoll-Zahnscheiben für Spannbuchse **POGGILOCK®**

Poulies dentées pas en pouces, pour moyeu amovible **POGGILOCK®**

Poleas dentadas paso en pulgadas, para casquillo cónico **POGGILOCK®**

Forme costruttive

Design features - Konstruktionsmerkmale - Caractéristiques - Características





Pulegge dentate passo pollici per bussola conica **POGGILOCK®**

Timing pulleys inch pitch for taperbush **POGGILOCK®**

Zoll-Zahnscheiben für Spannbuchse **POGGILOCK®**

Poulies dentées pas en pouces, pour moyeu amovible **POGGILOCK®**

Poleas dentadas paso en pulgadas, para casquillo cónico **POGGILOCK®**

L 050

Passo - Pitch - Teilung - Pas - Paso 3/8" (9,525 mm)

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				Bore Bohrung Alésage Agujero max mm									
Acciaio Steel Stahl Acier Acero	19B01805P	PL 18 L 050 - 8F	1108	25	54,57	53,81	60	44,5	-	19	22	3,0	0,190
	19B01905P	PL 19 L 050 - 8F	1108	25	57,61	56,84	60	44,5	-	19	22	3,0	0,210
	19B02005P	PL 20 L 050 - 8F	1108	25	60,64	59,88	66	48,0	-	19	22	3,0	0,260
	19B02105P	PL 21 L 050 - 8F	1108	25	63,67	62,91	71	48,0	-	19	22	3,0	0,310
	19B02205P	PL 22 L 050 - 8F	1108	25	66,70	65,94	75	51,0	-	19	22	3,0	0,360
Ghisa Cast iron Grauguß Fonte Fundición	19B02305P	PL 23 L 050 - 8F	1108	25	69,73	68,97	79	54,0	-	19	22	3,0	0,420
	19B02405P	PL 24 L 050 - 8F	1108	25	72,77	72,00	79	54,0	-	19	22	3,0	0,420
	19B02505P	PL 25 L 050 - 8F	1108	25	75,80	75,04	83	56,0	-	19	22	3,0	0,480
	19B02605P	PL 26 L 050 - 8F	1108	25	78,83	78,07	87	58,0	-	19	22	3,0	0,540
	19B02705P	PL 27 L 050 - 8F	1108	25	81,86	81,10	87	58,0	-	19	22	3,0	0,570
	19B02805P	PL 28 L 050 - 8F	1108	25	84,89	84,13	91	62,0	-	19	22	3,0	0,640
	19B03005P	PL 30 L 050 - 8F	1108	25	90,96	90,20	97	70,0	-	19	22	3,0	0,760
	19B03205P	PL 32 L 050 - 8F	1108	25	97,02	96,26	103	66,0	-	19	22	3,0	0,910
	19B03605P	PL 36 L 050 - 8F	1108	25	109,15	108,39	115	79,0	-	19	22	3,0	1,200
	19B04005P	PL 40 L 050 - 8F	1610	40	121,28	120,51	127	94,0	-	19	25	6,0	1,500
	19B04805P	PL 48 L 050 - 8WF	1610	40	145,53	144,77	152	92,0	124	19	25	6,0	1,630
	19B06005P	PL 60 L 050 - 7W	1610	40	181,91	181,15	-	92,0	166	19	25	3,0	2,010
	19B07205P	PL 72 L 050 - 7A	1610	40	218,30	217,53	-	92,0	202	19	25	3,0	2,200
	19B08405P	PL 84 L 050 - 7A	1610	40	254,68	253,92	-	92,0	236	19	25	3,0	2,930
	19B09605P	PL 96 L 050 - 7A	2012	50	291,06	290,30	-	106,0	270	19	32	6,5	4,200
	19B12005P	PL 120 L 050 - 7A	2012	50	363,83	363,07	-	106,0	343	19	32	6,5	6,000

L 075

Passo - Pitch - Teilung - Pas - Paso 3/8" (9,525 mm)

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				Bore Bohrung Alésage Agujero max mm									
Acciaio Steel Stahl Acier Acero	19B01807P	PL 18 L 075 - 3F	1108	25	54,57	53,81	60	-	-	25	22	-	0,220
	19B01907P	PL 19 L 075 - 3F	1108	25	57,61	56,84	60	-	-	25	22	-	0,250
	19B02007P	PL 20 L 075 - 3F	1108	25	60,64	59,88	66	-	-	25	22	-	0,320
	19B02107P	PL 21 L 075 - 3F	1108	25	63,67	62,91	71	-	-	25	22	-	0,380
	19B02207P	PL 22 L 075 - 3F	1108	25	66,70	65,94	75	-	-	25	22	-	0,440
Ghisa Cast iron Grauguß Fonte Fundición	19B02307P	PL 23 L 075 - 3F	1108	25	69,73	68,97	79	-	-	25	22	-	0,470
	19B02407P	PL 24 L 075 - 3F	1108	25	72,77	72,00	79	-	-	25	22	-	0,500
	19B02507P	PL 25 L 075 - 3F	1108	25	75,80	75,04	83	-	-	25	22	-	0,600
	19B02607P	PL 26 L 075 - 3F	1108	25	78,83	78,07	87	-	-	25	22	-	0,650
	19B02707P	PL 27 L 075 - 3F	1108	25	81,86	81,10	87	-	-	25	22	-	0,700
	19B02807P	PL 28 L 075 - 3F	1108	25	84,89	84,13	91	-	-	25	22	-	0,780
	19B03007P	PL 30 L 075 - 3F	1108	25	90,96	90,20	97	-	-	25	22	-	0,920
	19B03207P	PL 32 L 075 - 3F	1108	25	97,02	96,26	103	-	-	25	22	-	1,080
	19B03607P	PL 36 L 075 - 3F	1610	40	109,15	108,39	115	-	-	25	25	-	1,200
	19B04007P	PL 40 L 075 - 3F	1610	40	121,28	120,51	127	-	-	25	25	-	1,600
	19B04807P	PL 48 L 075 - 3WF	1610	40	145,53	144,77	152	92,0	125	25	25	-	1,660
	19B06007P	PL 60 L 075 - 3W	1610	40	181,91	181,15	-	92,0	166	25	25	-	1,880
	19B07207P	PL 72 L 075 - 3A	1610	40	218,30	217,53	-	92,0	202	25	25	-	2,600
	19B08407P	PL 84 L 075 - 7A	2012	50	254,68	253,92	-	106,0	236	25	32	3,5	3,800
	19B09607P	PL 96 L 075 - 7A	2012	50	291,06	290,30	-	106,0	270	25	32	3,5	4,600
	19B12007P	PL 120 L 075 - 7A	2012	50	363,83	363,07	-	106,0	343	25	32	3,5	6,500




Pulegge dentate passo pollici per bussola conica **POGGILOCK®**

Timing pulleys inch pitch for taperbush **POGGILOCK®**

Zoll-Zahnscheiben für Spannbuchse **POGGILOCK®**

Poulies dentées pas en pouces, pour moyeu amovible **POGGILOCK®**

Poleas dentadas paso en pulgadas, para casquillo cónico **POGGILOCK®**



L 100

Passo - Pitch - Teilung - Pas - Paso 3/8" (9,525 mm)

Material Material Werkstoff Matériel Material	Code Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Acciaio Steel Stahl Acier Acero	19B01810P	PL 18 L 100 - 5F	1108	25	54,57	53,81	60	-	38	31	22	9,0	0,260
	19B01910P	PL 19 L 100 - 5F	1108	25	57,61	56,84	60	-	38	31	22	9,0	0,310
	19B02010P	PL 20 L 100 - 5F	1108	25	60,64	59,88	66	-	45	31	22	9,0	0,350
	19B02110P	PL 21 L 100 - 5F	1108	25	63,67	62,91	71	-	47	31	22	9,0	0,420
	19B02210P	PL 22 L 100 - 5F	1108	25	66,70	65,94	75	-	51	31	22	9,0	0,470
Ghisa Cast iron Grauguß Fonte Fundición	19B02310P	PL 23 L 100 - 5F	1108	25	69,73	68,97	79	-	54	32	22	10,0	0,510
	19B02410P	PL 24 L 100 - 5F	1108	25	72,77	72,00	79	-	54	32	22	10,0	0,570
	19B02510P	PL 25 L 100 - 5F	1108	25	75,80	75,04	83	-	56	32	22	10,0	0,650
	19B02610P	PL 26 L 100 - 5F	1108	25	78,83	78,07	87	-	60	32	22	10,0	0,700
	19B02710P	PL 27 L 100 - 5F	1108	25	81,86	81,10	87	-	62	32	22	10,0	0,750
	19B02810P	PL 28 L 100 - 5F	1108	25	84,89	84,13	91	-	65	32	22	10,0	0,830
	19B03010P	PL 30 L 100 - 5F	1210	32	90,96	90,19	97	-	71	32	25	7,0	0,900
	19B03210P	PL 32 L 100 - 5F	1210	32	97,02	96,26	103	-	75	32	25	7,0	1,100
	19B03610P	PL 36 L 100 - 5F	1610	40	109,15	108,39	115	-	89	32	25	7,0	1,280
	19B04010P	PL 40 L 100 - 5F	1610	40	121,28	120,51	127	-	101	32	25	7,0	1,720
	19B04810P	PL 48 L 100 - 5WF	1610	40	145,53	144,77	152	92,0	124	32	25	7,0	2,000
	19B06010P	PL 60 L 100 - 9W	1610	40	181,91	181,15	-	92,0	166	32	25	3,5	2,100
	19B07210P	PL 72 L 100 - 3A	2012	50	218,30	217,53	-	106,0	202	32	32	-	3,000
	19B08410P	PL 84 L 100 - 3A	2012	50	254,68	253,92	-	106,0	236	32	32	-	4,400
	19B09610P	PL 96 L 100 - 3A	2012	50	291,06	290,30	-	106,0	270	32	32	-	5,100
19B12010P	PL 120 L 100 - 3A	2012	50	363,83	363,07	-	106,0	343	32	32	-	7,000	



Pulegge dentate passo pollici per bussola conica **POGGILOCK®**

Timing pulleys inch pitch for taperbush **POGGILOCK®**

Zoll-Zahnscheiben für Spannbuchse **POGGILOCK®**

Poulies dentées pas en pouces, pour moyeu amovible **POGGILOCK®**

Poleas dentadas paso en pulgadas, para casquillo cónico **POGGILOCK®**

H 100

Passo - Pitch - Teilung - Pas - Paso 1/2" (12,700 mm)

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				max mm									
Acciaio Steel Stahl Acier Acero	19C01610P	PL 16 H 100 - 5F	1108	25	64,68	63,31	71	-	45	31	22	9,0	0,430
	19C01810P	PL 18 H 100 - 5F	1210	32	72,77	71,39	79	-	52	31	25	6,0	0,500
	19C01910P	PL 19 H 100 - 5F	1210	32	76,81	75,44	83	-	56	31	25	6,0	0,600
	19C02010P	PL 20 H 100 - 5F	1210	32	80,55	79,48	87	-	60	31	25	6,0	0,690
Ghisa Cast iron Grauguß Fonte Fundición	19C02110P	PL 21 H 100 - 5F	1210	32	84,89	83,52	91	-	63	32	25	7,0	0,740
	19C02210P	PL 22 H 100 - 5F	1210	32	88,94	87,56	93	-	67	32	25	7,0	0,830
	19C02310P	PL 23 H 100 - 5F	1610	40	92,98	91,61	97	-	71	32	25	7,0	0,800
	19C02410P	PL 24 H 100 - 5F	1610	40	97,02	95,65	103	-	75	32	25	7,0	0,920
	19C02510P	PL 25 H 100 - 5F	1610	40	101,06	99,69	106	-	79	32	25	7,0	1,060
	19C02610P	PL 26 H 100 - 5F	1610	40	105,11	103,73	111	-	83	32	25	7,0	1,200
	19C02710P	PL 27 H 100 - 5F	1610	40	109,15	107,78	115	-	87	32	25	7,0	1,300
	19C02810P	PL 28 H 100 - 5F	1610	40	113,19	111,82	119	-	91	32	25	7,0	1,400
	19C03010P	PL 30 H 100 - 5F	1610	40	121,28	119,90	127	-	99	32	25	7,0	1,700
	19C03210P	PL 32 H 100 - 5WF	1610	40	129,36	127,99	135	88,0	108	32	25	7,0	1,770
	19C03610P	PL 36 H 100 - 5WF	1610	40	145,53	144,16	152	92,0	124	32	25	7,0	1,900
	19C04010P	PL 40 H 100 - 5WF	1610	40	161,70	160,33	168	92,0	140	32	25	7,0	2,200
	19C04410P	PL 44 H 100 - 3WF	2012	50	177,87	176,50	184	106,0	156	32	32	-	2,800
	19C04810P	PL 48 H 100 - 3WF	2012	50	194,04	192,67	200	106,0	172	32	32	-	3,570
	19C06010P	PL 60 H 100 - 9A	2012	50	242,55	241,18	-	106,0	223	34	32	1,0	4,100
	19C07210P	PL 72 H 100 - 9A	2012	50	291,06	289,69	-	106,0	270	34	32	1,0	4,500
	19C08410P	PL 84 H 100 - 9A	2012	50	339,57	338,20	-	106,0	318	34	32	1,0	6,900
	19C09610P	PL 96 H 100 - 7A	2517	65	388,08	386,71	-	119,0	366	34	45	5,5	10,000
	19C12010P	PL 120 H 100 - 7A	2517	65	485,10	483,73	-	119,0	462	34	45	5,5	14,200

H 150

Passo - Pitch - Teilung - Pas - Paso 1/2" (12,700 mm)

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				max mm									
Acciaio Steel Stahl Acier Acero	19C01815P	PL 18 H 150 - 5F	1210	32	72,77	71,39	79	-	53	45	25	20,0	0,630
	19C01915P	PL 19 H 150 - 5F	1210	32	76,81	75,44	83	-	56	45	25	20,0	0,780
	19C02015P	PL 20 H 150 - 5F	1210	32	80,85	79,48	87	-	60	45	25	20,0	0,900
Ghisa Cast iron Grauguß Fonte Fundición	19C02115P	PL 21 H 150 - 5F	1210	32	84,89	83,52	91	-	64	45	25	20,0	0,900
	19C02215P	PL 22 H 150 - 5F	1210	32	88,94	87,56	93	-	68	45	25	20,0	1,040
	19C02315P	PL 23 H 150 - 5F	1610	40	92,98	91,61	97	-	71	45	25	20,0	1,030
	19C02415P	PL 24 H 150 - 5F	1610	40	97,02	95,65	103	-	74	45	25	20,0	1,180
	19C02515P	PL 25 H 150 - 5F	1610	40	101,06	99,69	106	-	78	45	25	20,0	1,300
	19C02615P	PL 26 H 150 - 5F	1610	40	105,11	103,73	111	-	82	45	25	20,0	1,450
	19C02715P	PL 27 H 150 - 5F	1610	40	109,15	107,78	115	-	87	45	25	20,0	1,550
	19C02815P	PL 28 H 150 - 5F	1610	40	113,19	111,82	119	-	91	45	25	20,0	1,700
	19C03015P	PL 30 H 150 - 5F	1610	40	121,28	119,90	127	-	99	45	25	20,0	2,000
	19C03215P	PL 32 H 150 - 5WF	1610	40	129,36	127,99	135	88,0	108	45	25	20,0	2,060
	19C03615P	PL 36 H 150 - 5WF	1610	40	145,53	144,16	152	92,0	124	45	25	20,0	2,600
	19C04015P	PL 40 H 150 - 5WF	1610	40	161,70	160,33	168	92,0	140	45	25	20,0	2,700
	19C04415P	PL 44 H 150 - 5WF	2012	50	177,87	176,50	184	106,0	156	45	32	13,0	3,300
	19C04815P	PL 48 H 150 - 5WF	2012	50	194,04	192,67	200	106,0	172	45	32	13,0	3,540
	19C06015P	PL 60 H 150 - 9A	2012	50	242,55	241,18	-	106,0	223	46	32	7,0	5,200
	19C07215P	PL 72 H 150 - 9A	2012	50	291,06	289,69	-	106,0	270	46	32	7,0	5,400
	19C08415P	PL 84 H 150 - 9A	2012	50	339,57	338,20	-	106,0	320	46	32	7,0	8,000
	19C09615P	PL 96 H 150 - 9A	2517	65	388,08	386,71	-	119,0	368	46	45	0,5	10,500
	19C12015P	PL 120 H 150 - 9A	2517	65	485,10	483,73	-	119,0	462	46	45	0,5	15,400



Pulegge dentate passo pollici per bussola conica **POGGILOCK**[®]

Timing pulleys inch pitch for taperbush **POGGILOCK**[®]

Zoll-Zahnscheiben für Spannbuchse **POGGILOCK**[®]

Poulies dentées pas en pouces, pour moyeu amovible **POGGILOCK**[®]

Poleas dentadas paso en pulgadas, para casquillo cónico **POGGILOCK**[®]

H 200

Passo - Pitch - Teilung - Pas - Paso 1/2" (12,700 mm)

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				Bore Bohrung Alésage Agujero									
Acciaio Steel Stahl Acier Acero	19C01820P	PL 18 H 200 - 5F	1210	32	72,77	71,39	79	-	52	58	25	33,0	0,840
	19C01920P	PL 19 H 200 - 5F	1610	40	76,81	75,44	83	-	56	58	25	33,0	0,920
	19C02020P	PL 20 H 200 - 5F	1610	40	80,85	79,48	87	-	64	58	25	33,0	1,000
Ghisa Cast iron Grauguß Fonte Fundición	19C02120P	PL 21 H 200 - 5F	1610	40	84,89	83,52	91	-	64	58	25	33,0	0,980
	19C02220P	PL 22 H 200 - 5F	1610	40	88,94	87,56	93	-	68	58	25	33,0	1,200
	19C02320P	PL 23 H 200 - 5F	1610	40	92,98	91,61	97	-	71	58	25	33,0	1,240
	19C02420P	PL 24 H 200 - 5F	1610	40	97,02	95,65	103	-	74	58	25	33,0	1,420
	19C02520P	PL 25 H 200 - 5F	1610	40	101,06	99,69	106	-	78	58	25	33,0	1,500
	19C02620P	PL 26 H 200 - 5F	1610	40	105,11	103,73	111	-	83	58	25	33,0	1,650
	19C02720P	PL 27 H 200 - 5F	1610	40	109,15	107,78	115	-	87	58	25	33,0	1,840
	19C02820P	PL 28 H 200 - 5F	1610	40	113,19	111,82	119	-	91	58	25	33,0	2,000
	19C03020P	PL 30 H 200 - 5F	1610	40	121,28	119,90	127	-	99	58	25	33,0	2,300
	19C03220P	PL 32 H 200 - 5F	2012	50	129,36	127,99	135	-	107	58	32	26,0	2,650
	19C03620P	PL 36 H 200 - 5F	2012	50	145,53	144,16	152	-	124	58	32	26,0	3,200
	19C04020P	PL 40 H 200 - 5WF	2012	50	161,70	160,33	168	106,0	140	58	32	26,0	3,500
	19C04420P	PL 44 H 200 - 5WF	2012	50	177,87	176,50	184	106,0	156	58	32	26,0	4,000
	19C04820P	PL 48 H 200 - 5WF	2517	65	194,04	192,67	200	119,0	172	58	45	13,0	4,600
	19C06020P	PL 60 H 200 - 9A	2517	65	242,55	241,18	-	119,0	223	60	45	7,5	5,800
	19C07220P	PL 72 H 200 - 9A	2517	65	291,06	289,69	-	119,0	270	60	45	7,5	6,800
	19C08420P	PL 84 H 200 - 9A	2517	65	339,57	338,20	-	119,0	320	60	45	7,5	9,500
	19C09620P	PL 96 H 200 - 9A	2517	65	388,08	386,71	-	119,0	368	60	45	7,5	10,000
	19C12020P	PL 120 H 200 - 9A	2517	65	485,10	483,73	-	119,0	462	60	45	7,5	17,500

H 300

Passo - Pitch - Teilung - Pas - Paso 1/2" (12,700 mm)

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				Bore Bohrung Alésage Agujero									
Acciaio Steel Stahl Acier Acero	19C02030P	PL 20 H 300 - 4F	1615	40	80,85	79,48	87	-	67	84	38	23,0	1,200
Ghisa Cast iron Grauguß Fonte Fundición	19C02130P	PL 21 H 300 - 4F	1615	40	84,89	83,52	91	-	68	84	38	23,0	1,400
	19C02230P	PL 22 H 300 - 4F	1615	40	88,94	87,56	93	-	68	84	38	23,0	1,650
	19C02330P	PL 23 H 300 - 4F	1615	40	92,98	91,61	97	-	71	84	38	23,0	1,850
	19C02430P	PL 24 H 300 - 4F	1615	40	97,02	95,65	103	-	75	84	38	23,0	2,050
	19C02530P	PL 25 H 300 - 4F	1615	40	101,06	99,69	106	-	79	84	38	23,0	2,250
	19C02630P	PL 26 H 300 - 4F	1615	40	105,11	103,73	111	-	83	84	38	23,0	2,470
	19C02730P	PL 27 H 300 - 4F	2012	50	109,15	107,78	115	-	87	84	32	26,0	2,200
	19C02830P	PL 28 H 300 - 4F	2012	50	113,19	111,82	119	-	91	84	32	26,0	2,500
	19C03030P	PL 30 H 300 - 4F	2012	50	121,28	119,90	127	-	99	84	32	26,0	2,900
	19C03230P	PL 32 H 300 - 4F	2517	65	129,36	127,99	135	-	107	84	45	19,5	3,300
	19C03630P	PL 36 H 300 - 4F	2517	65	145,53	144,16	152	-	124	84	45	19,5	4,600
	19C04030P	PL 40 H 300 - 4F	2517	65	161,70	160,33	168	-	138	84	45	19,5	6,000
	19C04430P	PL 44 H 300 - 4WF	2517	65	177,87	176,50	184	119,0	153	86	45	20,5	5,800
	19C04830P	PL 48 H 300 - 4WF	2517	65	194,04	192,67	200	119,0	169	86	45	20,5	6,000
	19C06030P	PL 60 H 300 - 9A	2517	65	242,55	241,18	-	119,0	223	86	45	20,5	6,800
	19C07230P	PL 72 H 300 - 9A	2517	65	291,06	289,69	-	119,0	270	86	45	20,5	7,800
	19C08430P	PL 84 H 300 - 9A	2517	65	339,57	338,20	-	119,0	318	86	45	20,5	12,000
	19C09630P	PL 96 H 300 - 9A	3030	75	388,08	386,71	-	150,0	362	86	76	5,0	18,200
	19C12030P	PL 120 H 300 - 9A	3030	75	485,10	483,73	-	150,0	460	86	76	5,0	24,000