



Pulegge dentate HTD® per bussola conica SYSTEM-®

HTD® timing belt pulleys for taper bush **SYSTEM-®**

HTD® Zahnriemenscheiben für Spannbuchse **SYSTEM-®**

Poulies dentées HTD® pour moyeu amovible **SYSTEM-®**

Poleas dentadas HTD® para casquillo cónico **SYSTEM-®**





Pulegge dentate HTD® per bussola conica SYSTEM-®

HTD® timing belt pulleys for taper bush SYSTEM-®


HTD® Zahnriemenscheiben für Spannbuchse SYSTEM-®

Poulies dentées HTD® pour moyeu amovible SYSTEM-®

Poleas dentadas HTD® para casquillo cónico SYSTEM-®

Forme costruttive

Design features - Konstruktionsmerkmale - Caractéristiques - Características





Pulegge dentate HTD® per bussola conica SYSTEM-®

HTD® timing belt pulleys for taper bush SYSTEM-®

HTD® Zahnriemenscheiben für Spannbuchse SYSTEM-®

Poulies dentées HTD® pour moyeu amovible SYSTEM-®

Poleas dentadas HTD® para casquillo cónico SYSTEM-®

HTD® 8M 20 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso	
				Bore Bohrung Alésage Agujero									Weight Gewicht Poids Peso	
				max mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Acciaio Steel Stahl Acier Acero	33G024020	B 24 8M 20 - 3AF	2016	20	61,12	59,75	66,0	-	42,0	28,0	27,0	12,00	0,32	
	33G026020	B 26 8M 20 - 3F	2016	20	66,21	64,84	71,0	-	47,0	28,0	27,0	1,00	0,36	
	33G028020	B 28 8M 20 - 3F	2016	20	71,30	70,08	75,0	-	49,0	28,0	27,0	1,00	0,44	
	33G030020	B 30 8M 20 - 3AF	2825	30	76,39	75,13	83,0	-	58,0	28,0	37,0	3,00	0,55	
Ghisa Cast iron Grauguß Fonte Fundición	33G032020	B 32 8M 20 - 3AF	2825	30	81,49	80,16	87,0	-	62,0	28,0	37,0	3,00	0,65	
	33G034020	B 34 8M 20 - 3AF	3825	40	86,58	85,22	91,0	-	65,0	28,0	37,0	3,00	0,61	
	33G036020	B 36 8M 20 - 3AF	3825	40	91,67	90,30	98,5	-	71,0	28,0	37,0	3,00	0,73	
	33G038020	B 38 8M 20 - 3AF	3825	40	96,77	95,39	103,0	-	72,0	28,0	37,0	3,00	0,87	
	33G040020	B 40 8M 20 - 3AF	3825	40	101,86	100,49	106,0	-	76,0	28,0	37,0	3,00	1,02	
	33G044020	B 44 8M 20 - 2F	4830	50	112,05	110,67	119,0	93,0	-	28,0	45,0	2,00	1,23	
	33G048020	B 48 8M 20 - 2F	4830	50	122,23	120,86	127,0	95,0	-	28,0	45,0	2,00	1,57	
	33G056020	B 56 8M 20 - 2F	4830	50	142,60	141,23	148,0	110,0	-	28,0	45,0	2,00	2,45	
	33G064020	B 64 8M 20 - 2BF	4830	50	162,97	161,60	168,0	110,0	137,0	28,0	45,0	2,00	2,69	
	33G072020	B 72 8M 20 - 2BF	4830	50	183,35	181,97	192,0	110,0	158,0	28,0	45,0	2,00	3,16	
	33G080020	B 80 8M 20 - 2B	4830	50	203,72	202,35	-	110,0	180,0	28,0	45,0	2,00	3,60	
	33G090020	B 90 8M 20 - 2C	4830	50	229,18	227,81	-	110,0	204,0	28,0	45,0	2,00	3,64	

HTD® 8M 30 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso
				Bore Bohrung Alésage Agujero									Weight Gewicht Poids Peso
				max mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Acciaio Steel Stahl Acier Acero	33G024030	B 24 8M 30 - 3AF	2016	20	61,12	59,75	66,0	-	42,0	38,0	27,0	22,00	0,40
	33G026030	B 26 8M 30 - 3F	2016	20	66,21	64,84	71,0	-	47,0	38,0	27,0	11,00	0,44
	33G028030	B 28 8M 30 - 3F	2016	20	71,30	70,08	75,0	-	49,0	38,0	27,0	11,00	0,54
	33G030030	B 30 8M 30 - 3AF	2825	30	76,39	75,13	83,0	-	58,0	38,0	37,0	13,00	0,67
Ghisa Cast iron Grauguß Fonte Fundición	33G032030	B 32 8M 30 - 3F	2825	30	81,49	80,16	87,0	-	-	38,0	37,0	1,00	0,76
	33G034030	B 34 8M 30 - 3AF	3825	40	86,58	85,22	91,0	-	65,0	38,0	37,0	13,00	0,75
	33G036030	B 36 8M 30 - 3CF	3825	40	91,67	90,30	98,5	-	71,0	38,0	37,0	6,50	0,98
	33G038030	B 38 8M 30 - 3CF	3825	40	96,77	95,39	103,0	-	72,0	38,0	37,0	6,50	1,04
	33G040030	B 40 8M 30 - 3CF	3825	40	101,86	100,49	106,0	-	76,0	38,0	37,0	6,50	1,20
	33G044030	B 44 8M 30 - 3CF	4830	50	112,05	110,67	119,0	-	91,0	38,0	45,0	4,00	1,38
	33G048030	B 48 8M 30 - 3CF	4830	50	122,23	120,86	127,0	-	95,0	38,0	45,0	4,00	1,83
	33G056030	B 56 8M 30 - 3CF	4830	50	142,60	141,23	148,0	-	117,0	38,0	45,0	4,00	2,75
	33G064030	B 64 8M 30 - 2F	6045	65	162,97	161,60	168,0	135,0	-	38,0	63,0	7,00	4,50
	33G072030	B 72 8M 30 - 2F	6045	65	183,35	181,97	192,0	140,0	-	38,0	63,0	7,00	6,00
	33G080030	B 80 8M 30 - 2B	6045	65	203,72	202,35	-	140,0	180,0	38,0	63,0	7,00	5,40
	33G090030	B 90 8M 30 - 2B	6045	65	229,18	227,81	-	140,0	204,0	38,0	63,0	7,00	6,20
	33G112030	B 112 8M 30 - 2C	6045	65	285,21	283,83	-	140,0	260,0	38,0	63,0	7,00	7,50
33G144030	B 144 8M 30 - 2C	6045	65	366,69	365,32	-	140,0	341,0	38,0	63,0	7,00	9,80	



Pulegge dentate HTD® per bussola conica SYSTEM-e®

HTD® timing belt pulleys for taper bush SYSTEM-e®

HTD® Zahnriemenscheiben für Spannbuchse SYSTEM-e®

Poulies dentées HTD® pour moyeu amovible SYSTEM-e®

Poleas dentadas HTD® para casquillo cónico SYSTEM-e®

HTD® 8M 50 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Acciaio Steel Stahl Acier Acero	33G028050	B 28 8M 50 - 3DF	2016	20	71,30	70,08	75,0	-	49,0	60,0	27,0	22,00	0,76
	33G030050	B 30 8M 50 - 3AF	2825	30	76,39	75,13	83,0	-	58,0	60,0	37,0	35,00	0,95
Ghisa Cast iron Grauguß Fonte Fundición	33G032050	B 32 8M 50 - 3F	2825	30	81,49	80,16	87,0	-	62,0	60,0	37,0	23,00	0,98
	33G034050	B 34 8M 50 - 3AF	3825	40	86,58	85,22	91,0	-	65,0	60,0	37,0	35,00	1,00
	33G036050	B 36 8M 50 - 3DF	3825	40	91,67	90,30	98,5	-	71,0	60,0	37,0	17,50	1,20
	33G038050	B 38 8M 50 - 3DF	3825	40	96,77	95,39	103,0	-	72,0	60,0	37,0	17,50	1,43
	33G040050	B 40 8M 50 - 3DF	3825	40	101,86	100,49	106,0	-	76,0	60,0	37,0	17,50	1,63
	33G044050	B 44 8M 50 - 3F	4830	50	112,05	110,67	119,0	-	91,0	60,0	45,0	15,00	1,80
	33G048050	B 48 8M 50 - 3F	4830	50	122,23	120,86	127,0	-	95,0	60,0	45,0	15,00	2,41
	33G056050	B 56 8M 50 - 3CF	5040	55	142,60	141,23	148,0	-	116,0	60,0	58,0	10,00	3,80
	33G064050	B 64 8M 50 - 3CF	6045	65	162,97	161,60	168,0	-	137,0	60,0	63,0	7,50	5,00
	33G072050	B 72 8M 50 - 3CF	6045	65	183,35	181,97	192,0	-	158,0	60,0	63,0	7,50	6,70
	33G080050	B 80 8M 50 - 3B	7540	75	203,72	202,35	-	-	180,0	60,0	59,0	-	7,50
	33G090050	B 90 8M 50 - 4	7540	75	229,18	227,81	-	160,0	204,0	60,0	59,0	-	8,00
	33G112050	B 112 8M 50 - 6	7540	75	285,21	283,83	-	160,0	260,0	60,0	59,0	-	9,50
	33G144050	B 144 8M 50 - 6	7540	75	366,69	365,32	-	160,0	341,0	60,0	59,0	-	12,80
	33G168050	B 168 8M 50 - 6	7540	75	427,81	426,44	-	160,0	402,0	60,0	59,0	-	15,00
	33G192050	B 192 8M 50 - 6	7540	75	488,92	487,55	-	160,0	460,0	60,0	59,0	-	20,60

HTD® 8M 85 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Ghisa Cast iron Grauguß Fonte Fundición	33G034085	B 34 8M 85 - 3DF	3825	40	86,58	85,22	91,0	-	70,0	95,0	37,0	35,00	1,20
	33G036085	B 36 8M 85 - 3DF	3825	40	91,67	90,30	98,5	-	71,0	95,0	37,0	35,00	1,60
	33G038085	B 38 8M 85 - 3DF	3825	40	96,77	95,39	103,0	-	72,0	95,0	37,0	35,00	2,06
	33G040085	B 40 8M 85 - 3DF	3825	40	101,86	100,49	106,0	-	80,0	95,0	37,0	35,00	2,08
	33G044085	B 44 8M 85 - 3DF	4830	50	112,05	110,67	119,0	-	91,0	95,0	45,0	32,50	2,38
	33G048085	B 48 8M 85 - 3DF	4830	50	122,23	120,86	127,0	-	95,0	95,0	45,0	32,50	3,20
	33G056085	B 56 8M 85 - 3DF	6035	65	142,60	141,23	148,0	-	122,0	95,0	53,0	30,00	3,72
	33G064085	B 64 8M 85 - 3DF	6045	65	162,97	161,60	168,0	-	137,0	95,0	63,0	25,00	6,00
	33G072085	B 72 8M 85 - 3F	7540	75	183,35	181,97	192,0	-	158,0	95,0	59,0	36,00	7,20
	33G080085	B 80 8M 85 - 3	7540	75	203,72	202,35	-	-	180,0	95,0	59,0	36,00	8,80
	33G090085	B 90 8M 85 - 5	7540	75	229,18	227,81	-	160,0	204,0	95,0	59,0	36,00	10,00
	33G112085	B 112 8M 85 - 7	7540	75	285,21	283,83	-	160,0	260,0	95,0	59,0	36,00	12,40
	33G144085	B 144 8M 85 - 7	7060	75	366,69	365,32	-	160,0	341,0	95,0	79,0	17,50	19,20
	33G168085	B 168 8M 85 - 7	7060	75	427,81	426,44	-	160,0	402,0	95,0	79,0	17,50	24,00
	33G192085	B 192 8M 85 - 7	7060	75	488,92	487,55	-	160,0	460,0	95,0	79,0	16,00	27,20




Pulegge dentate HTD® per bussola conica SYSTEM-®

HTD® timing belt pulleys for taper bush SYSTEM-®

HTD® Zahnriemenscheiben für Spannbuchse SYSTEM-®

Poulies dentées HTD® pour moyeu amovible SYSTEM-®

Poleas dentadas HTD® para casquillo cónico SYSTEM-®



HTD® 14M 40 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				max mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Ghisa Cast Iron Grauguss Fonte Fundición	331028040	B 28 14M 40 - 3F	4830	50	124,78	122,12	127,0	-	90,0	54,0	45,0	9,00	2,25
	331029040	B 29 14M 40 - 3F	4830	50	129,23	126,57	138,0	-	95,0	54,0	45,0	9,00	2,70
	331030040	B 30 14M 40 - 3F	4830	50	133,69	130,99	138,0	-	98,0	54,0	45,0	9,00	2,68
	331032040	B 32 14M 40 - 3F	4830	50	142,60	139,88	154,0	-	105,0	54,0	45,0	9,00	3,26
	331034040	B 34 14M 40 - 3F	6035	65	151,52	148,79	160,0	-	-	54,0	53,0	1,00	3,60
	331036040	B 36 14M 40 - 3F	6035	65	160,43	157,68	168,0	-	-	54,0	53,0	1,00	4,25
	331038040	B 38 14M 40 - 3F	6035	65	169,34	166,60	183,0	-	-	54,0	53,0	1,00	4,91
	331040040	B 40 14M 40 - 3F	6035	65	178,25	175,49	188,0	-	-	54,0	53,0	1,00	5,50
	331044040	B 44 14M 40 - 3BF	7540	75	196,08	193,28	211,0	-	150,0	54,0	59,0	-	7,00
	331048040	B 48 14M 40 - 3BF	7540	75	213,90	211,11	226,0	-	170,0	54,0	59,0	-	8,00
	331056040	B 56 14M 40 - 4F	7540	75	249,55	246,76	256,0	160,0	208,0	54,0	59,0	-	9,60
	331064040	B 64 14M 40 - 4F	7540	75	285,21	282,41	296,0	160,0	239,0	54,0	59,0	-	12,30
	331072040	B 72 14M 40 - 4	7540	75	320,86	318,06	-	160,0	280,0	54,0	59,0	-	14,00
	331080040	B 80 14M 40 - 6	7540	75	356,51	353,71	-	160,0	315,0	54,0	59,0	-	15,10
	331090040	B 90 14M 40 - 6	7540	75	401,07	398,28	-	160,0	358,0	54,0	59,0	-	16,30
	331112040	B 112 14M 40 - 6	7540	75	499,11	496,32	-	160,0	457,0	54,0	59,0	-	24,00
	331144040	B 144 14M 40 - 6	7540	75	641,71	638,92	-	160,0	600,0	54,0	59,0	-	31,70
	331168040	B 168 14M 40 - 6	7540	75	748,66	745,87	-	160,0	706,0	54,0	59,0	-	39,50
	331192040	B 192 14M 40 - 6	7540	75	855,62	852,82	-	160,0	813,0	54,0	59,0	-	50,40
	331216040	B 216 14M 40 - 6 *	7540	75	962,57	959,76	-	160,0	920,0	54,0	59,0	-	59,00

* A richiesta - On request - Auf Anfrage - Sur demande - Bajo consulta.



Pulegge dentate HTD® per bussola conica SYSTEM-®

HTD® timing belt pulleys for taper bush SYSTEM-®

HTD® Zahnriemenscheiben für Spannbuchse SYSTEM-®

Poulies dentées HTD® pour moyeu amovible SYSTEM-®

Poleas dentadas HTD® para casquillo cónico SYSTEM-®

HTD® 14M 55 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso
				Bore Bohrung Alésage Agujero									max mm
				mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Ghisa Cast iron Grauguß Fonte Fundición	331028055	B 28 14M 55 - 3F	4830	50	124,78	122,12	127,0	-	90,0	70,0	45,0	25,00	2,72
	331029055	B 29 14M 55 - 3F	4830	50	129,23	126,57	138,0	-	95,0	70,0	45,0	25,00	2,90
	331030055	B 30 14M 55 - 3F	4830	50	133,69	130,99	138,0	-	98,0	70,0	45,0	25,00	3,30
	331032055	B 32 14M 55 - 3F	6035	65	142,60	139,88	154,0	-	111,0	70,0	53,0	17,50	3,20
	331034055	B 34 14M 55 - 3F	6035	65	151,52	148,79	160,0	-	115,0	70,0	53,0	17,50	4,20
	331036055	B 36 14M 55 - 3F	6035	65	160,43	157,68	168,0	-	124,0	70,0	53,0	17,50	4,68
	331038055	B 38 14M 55 - 3F	6035	65	169,34	166,60	183,0	-	130,0	70,0	53,0	17,50	5,60
	331040055	B 40 14M 55 - 3F	6035	65	178,25	175,49	188,0	-	140,0	70,0	53,0	17,50	6,00
	331044055	B 44 14M 55 - 3F	7540	75	196,08	193,28	211,0	-	150,0	70,0	59,0	11,00	7,95
	331048055	B 48 14M 55 - 3F	7540	75	213,90	211,11	226,0	-	170,0	70,0	59,0	11,00	9,80
	331056055	B 56 14M 55 - 5F	7540	75	249,55	246,76	256,0	160,0	208,0	70,0	59,0	11,00	11,00
	331064055	B 64 14M 55 - 5F	7540	75	285,21	282,41	296,0	160,0	239,0	70,0	59,0	11,00	14,00
	331072055	B 72 14M 55 - 5	7540	75	320,86	318,06	-	160,0	280,0	70,0	59,0	11,00	15,30
	331080055	B 80 14M 55 - 7	7540	75	356,51	353,71	-	160,0	315,0	70,0	59,0	11,00	16,80
	331090055	B 90 14M 55 - 7	7540	75	401,07	398,28	-	160,0	358,0	70,0	59,0	11,00	19,00
	331112055	B 112 14M 55 - 7	7540	75	499,11	496,32	-	160,0	457,0	70,0	59,0	11,00	28,50
	331144055	B 144 14M 55 - 7	7540	75	641,71	638,92	-	160,0	600,0	70,0	59,0	11,00	35,50
	331168055	B 168 14M 55 - 7	7540	75	748,66	745,87	-	160,0	706,0	70,0	59,0	11,00	49,00
	331192055	B 192 14M 55 - 7	7540	75	855,62	852,82	-	160,0	813,0	70,0	59,0	11,00	54,20
	331216055	B 216 14M 55 - 2C *	9085	95	962,57	959,76	-	200,0	920,0	70,0	105,0	15,00	71,80

HTD® 14M 85 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso
				Bore Bohrung Alésage Agujero									max mm
				mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Ghisa Cast iron Grauguß Fonte Fundición	331028085	B 28 14M 85 - 3DF	5040	55	124,78	122,12	127,0	-	101,0	102,0	58,0	31,00	2,92
	331029085	B 29 14M 85 - 3DF	5040	55	129,23	126,57	138,0	-	101,0	102,0	58,0	31,00	3,50
	331030085	B 30 14M 85 - 3DF	5040	55	133,69	130,99	138,0	-	101,0	102,0	58,0	31,00	3,90
	331032085	B 32 14M 85 - 3DF	6035	65	142,60	139,88	154,0	-	111,0	102,0	53,0	33,50	4,20
	331034085	B 34 14M 85 - 3DF	6035	65	151,52	148,79	160,0	-	115,0	102,0	53,0	33,50	5,50
	331036085	B 36 14M 85 - 3DF	6045	65	160,43	157,68	168,0	-	120,0	102,0	63,0	28,50	6,80
	331038085	B 38 14M 85 - 3DF	6045	65	169,34	166,60	183,0	-	130,0	102,0	63,0	28,50	8,00
	331040085	B 40 14M 85 - 3DF	7540	75	178,25	175,49	188,0	-	145,0	102,0	59,0	31,00	7,40
	331044085	B 44 14M 85 - 3DF	7060	75	196,08	193,28	211,0	-	155,0	102,0	79,0	21,00	11,00
	331048085	B 48 14M 85 - 3CF	8070	80	213,90	211,11	226,0	-	170,0	102,0	88,0	16,00	13,95
	331056085	B 56 14M 85 - 3BF	9085	95	249,55	246,76	256,0	-	208,0	102,0	105,0	-	22,00
	331064085	B 64 14M 85 - 4F	9085	95	285,21	282,41	296,0	200,0	239,0	102,0	105,0	-	28,80
	331072085	B 72 14M 85 - 4	9085	95	320,86	318,06	-	200,0	280,0	102,0	105,0	-	26,00
	331080085	B 80 14M 85 - 6	9085	95	356,51	353,71	-	200,0	315,0	102,0	105,0	-	29,00
	331090085	B 90 14M 85 - 6	9085	95	401,07	398,28	-	200,0	358,0	102,0	105,0	-	31,80
	331112085	B 112 14M 85 - 6	9085	95	499,11	496,32	-	200,0	456,0	102,0	105,0	-	40,45
	331144085	B 144 14M 85 - 6	9085	95	641,71	638,92	-	200,0	600,0	102,0	105,0	-	51,20
	331168085	B 168 14M 85 - 6	9085	95	748,66	745,87	-	200,0	706,0	102,0	105,0	-	62,00
	331192085	B 192 14M 85 - 6	10095	100	855,62	852,82	-	220,0	813,0	102,0	119,0	-	80,40
	331216085	B 216 14M 85 - 6 *	10095	100	962,57	959,76	-	220,0	920,0	102,0	119,0	-	90,00

* A richiesta - On request - Auf Anfrage - Sur demande - Bajo consulta.



Pulegge dentate HTD® per bussola conica SYSTEM-e®

HTD® timing belt pulleys for taper bush SYSTEM-e®

HTD® Zahnriemenscheiben für Spannbuchse SYSTEM-e®

Poulies dentées HTD® pour moyeu amovible SYSTEM-e®

Poleas dentadas HTD® para casquillo cónico SYSTEM-e®

HTD® 14M 115 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso	
				Bore Bohrung Alésage Agujero									Weight Gewicht Poids Peso	
				max mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Ghisa Cast iron Grauguß Fonte Fundición	33I032115	B 32 14M 115 - 3DF	6045	65	142,60	139,88	154,0	-	111,0	133,0	63,0	44,00	5,00	
	33I034115	B 34 14M 115 - 3DF	6045	65	151,52	148,79	160,0	-	118,0	133,0	63,0	44,00	6,50	
	33I036115	B 36 14M 115 - 3DF	6045	65	160,43	157,68	168,0	-	120,0	133,0	63,0	44,00	8,00	
	33I038115	B 38 14M 115 - 3DF	6045	65	169,34	166,60	183,0	-	130,0	133,0	63,0	44,00	9,20	
	33I040115	B 40 14M 115 - 3DF	7060	75	178,25	175,49	188,0	-	145,0	133,0	79,0	36,50	9,00	
	33I044115	B 44 14M 115 - 3DF	7060	75	196,08	193,28	211,0	-	155,0	133,0	79,0	36,50	13,00	
	33I048115	B 48 14M 115 - 3F	8070	80	213,90	211,11	226,0	-	170,0	133,0	88,0	45,00	16,00	
	33I056115	B 56 14M 115 - 3F	9085	95	249,55	246,76	256,0	-	208,0	133,0	105,0	28,00	24,00	
	33I064115	B 64 14M 115 - 5F	9085	95	285,21	282,41	296,0	200,0	239,0	133,0	105,0	28,00	32,00	
	33I072115	B 72 14M 115 - 5	9085	95	320,86	318,06	-	200,0	280,0	133,0	105,0	28,00	31,00	
	33I080115	B 80 14M 115 - 7	9085	95	356,51	353,71	-	200,0	315,0	133,0	105,0	28,00	33,10	
	33I090115	B 90 14M 115 - 7	9085	95	401,07	398,28	-	200,0	358,0	133,0	105,0	28,00	37,00	
	33I112115	B 112 14M 115 - 7	9085	95	499,11	496,32	-	200,0	456,0	133,0	105,0	28,00	49,00	
	33I144115	B 144 14M 115 - 7	10095	100	641,71	638,92	-	220,0	600,0	133,0	119,0	14,00	63,00	
	33I168115	B 168 14M 115 - 7	10095	100	748,66	745,87	-	220,0	706,0	133,0	119,0	14,00	77,50	
	33I192115	B 192 14M 115 - 7	10095	100	855,62	852,82	-	220,0	813,0	133,0	119,0	14,00	95,00	
	33I216115	B 216 14M 115 - 7 *	10095	100	962,57	959,76	-	220,0	920,0	133,0	119,0	14,00	105,00	

HTD® 14M 170 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso
				Bore Bohrung Alésage Agujero									Weight Gewicht Poids Peso
				max mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
Ghisa Cast iron Grauguß Fonte Fundición	33I044170	B 44 14M 170 - 3DF	8070	80	196,08	193,28	211,0	-	160,0	187,0	88,0	58,50	14,80
	33I048170	B 48 14M 170 - 3DF	9085	95	213,90	211,11	226,0	-	175,0	187,0	105,0	51,00	19,00
	33I056170	B 56 14M 170 - 3DF	9085	95	249,55	246,76	256,0	-	208,0	187,0	105,0	51,00	21,60
	33I064170	B 64 14M 170 - 3DF	10095	100	285,21	282,41	296,0	-	239,0	187,0	119,0	46,00	39,00
	33I072170	B 72 14M 170 - 3D	10095	100	320,86	318,06	-	220,0	280,0	187,0	119,0	46,00	42,50
	33I080170	B 80 14M 170 - 3D	10095	100	356,51	353,71	-	220,0	315,0	187,0	119,0	46,00	44,80
	33I090170	B 90 14M 170 - 7	10095	100	401,07	398,28	-	220,0	358,0	187,0	119,0	46,00	51,30
	33I112170	B 112 14M 170 - 7	130120	130	499,11	496,32	-	250,0	456,0	187,0	145,0	42,00	68,60
	33I144170	B 144 14M 170 - 7	130120	130	641,71	638,92	-	250,0	600,0	187,0	145,0	42,00	86,00
	33I168170	B 168 14M 170 - 7	130120	130	748,66	745,87	-	250,0	706,0	187,0	145,0	42,00	114,00
	33I192170	B 192 14M 170 - 7	130120	130	855,62	852,82	-	250,0	813,0	187,0	145,0	42,00	126,00
	33I216170	B 216 14M 170 - 7 *	130120	130	962,57	959,76	-	250,0	920,0	187,0	145,0	42,00	147,50

* A richiesta - On request - Auf Anfrage - Sur demande - Bajo consulta.

